

INDEX MAPS.

T. 9N, R. 1E. 2nd Mer.

	245	245-246	245-246	245-246	245-246	244-246						
249	6	240	5	264	4	261	3	257	2	253	1	271
	269	269	264	260	256	252						271
248	7	269	8	264	9	260	10	256	11	252	12	
	268	268	263	260	256	252						244
248	18	268	17	263	16	259	15	255	14	251	13	244
	267	267	263	259	255	251						
248	19	267	20	263	21	258	22	255	23	250	24	243
	266	266	262	258	254	250						
247	30	266	29	262	28	258	27	254	26	250	25	243
	266	265	262	257	253	249						
247	31	265	32	261	33	257	34	253	35	249	36	242
	242	242	241	241	241	241						

T. 10N, R. 1E. 2nd Mer.

	278		278		278		277-279		277-279		277-279	
281	6	307	5	301	4	296	3	291	2	286	1	277
	306		306		300		295		291		286	
281	7	306	8	300	9	295	10	290	11	285	12	276
	305		305		299		295		290		285	
280	18	304	17	299	16	294	15	289	14	284	13	276
	304		304		299		294		289		284	
280	19	303	20	298	21	293	22	288	23	283	24	276
	303		303		298		293		288		283	
280	30	302	29	297	28	293	27	287	26	282	25	275
	302		301		297		292		287		282	
279	31	301	32	296	33	292	34	286	35	282	36	275
	274		273-274		273-274		273-274		273-275		273-275	

The figures on the lines refer to the page.

273

Township N. 10 North, Range N. 1 East 2. Mer. Indiana

South Boundary

West On Random between Towns 9 & 10 N. R 1 E. 2. Mer.
Sec. 1 & 36.

30.00 a Brook 7 hrs. wide C. & N.

40.00 At temp. of Sec. post

80.00 At temp. of Sec. post for Sec. 35 & 36, T 10 N. R 1 E.
Over level Beech land

West On Random betw. Towns 9 & 10 N. R 1 E. 2. Mer.
Sec. 2 & 35.

11.65 a Brook 10 hrs. wide C. & N.

40.00 At temp. of Sec. post

80.00 At temp. of Sec. post for Sec. 34 & 35, T 10 N. R 1 E.
over rolling land timber Oak, Beech, &c.

West On Random between Towns 9 & 10 N. R 1 E. 2. Mer.
Sections 3 & 34.

13.80 a Brook 15 hrs. wide C. & N.

40.00 At temp. of Sec. post

80.00 At temp. of Sec. post for Sec. 33 & 34, T 10 N. R 1 E.
over Broken land timber Beech & Oak

West On Random between Towns 9 & 10, T 10 N. R 1 E.
Sections 4 and 33,

40.00 At temp. of Sec. post

80.00 At temp. of Sec. post for Sec. 32 & 33, T 10 N. R 1 E.
over Broken land timber Oak & Poplar.

West On Random betw. Towns 9 & 10, T 10 N. R 1 E.
Sections 5 and 32.

40.00 At temp. of Sec. post

80.00 At temp. of Sec. post for Sec. 31 & 32, T 10 N. R 1 E.
Over Broken land, timber Oak & Hickory.

T10 N - R1 E. 2nd Mer. Indiana

West On Rand^m. between Towns 9 & 10 N. R1 E. 2nd Mer.
Sections 6 and 31

39.28 Intersected the 2nd Meridian 520 lbs. N. of the cor.
of Towns 9 & 10 N. Ranges 1 E & 1 W.
over broken land timber, Oak, Beech &c.

East On true line betwⁿ Towns 9 & 10 N. R1 E.

39.28 Set a post Cor. Secs. 31 & 32, T10 N. R1 E. from which
a Beech 13 in. diam. bears S 25° W 10 lbs. dist. of
a do 10 " " " N 32° W 24 " "

East On S. boundary of Sec. 32, T10 N. R1 E. 2nd Mer.

40.00 Set the q. Sec. post on true line, from which
a Beech 10 in. diam. bears S 69° E 18 lbs. dist. of
a do 10 " " " N 42° W 24 " "

80.00 Set a post Cor. to Secs. 32 & 33, T10 N. R1 E. 2nd Mer. from
which a Hickory 20 in. diam. bears N 44° W 16 lbs. dist. of
a Walnut 12 " " " S 59° E 29 " "

East On S. boundary of Sec. 33, T10 N. R1 E. 2nd Mer.

40.00 Set the q. Sec. post on true line from which
a Beech 24 in. diam. bears N 10° E 23 lbs. dist. of
a Sassafras 8 " " " N 5° W 9 " "

80.00 Set a post Cor. to Secs. 33 & 34, T10 N. R1 E. from which
a Poplar 18 in. diam. bears S 77° E 24 lbs. dist. of
a Dogwood 6 " " " N 44° W 13 " "

East On S. boundary of Sec. 34, T10 N. R1 E. 2nd Mer.

40.00 Set the q. Sec. post on true line from which
a Gum 12 in. diam. bears N 71° E 4 lbs. dist. of
a Beech 8 " " " South 13 " "

80.00 Set a post Cor. to Secs. 34 & 35, T10 N. R1 E. from which
a Beech 13 in. diam. bears S 63° E 20 lbs. dist. of

T10N R1E 2^d Mer. Indiana

a Beech 8 in. diam. bears N 81° W 22 lks. dist. of

East On S. boundary of Sec. 35, T10N. R1E. 2^d Mer.

40.00 Set the q. Sec. post on true line from which
a Beech 30 in. diam. bears N 63° E 33 lks. dist. of
a Cherry 9 " " " N 64° W 9 " "

80.00 Set a post Cor. to Sec. 35 & 36, T10N. R1E. from which
a Beech 8 in. diam. bears N 65° E 20 lks. dist. of
a Do 30 " " " S 71° W 6 " "

East On S. boundary of Sec. 36, T10N. R1E.

40.00 Set the q. Sec. post on true line from which
a Gum 24 in. diam. bears N 82° E 13 lks. dist. of
a Beech 10 " " " S 33° W 17 " "

80.00 Intersected the Town Corner

East Boundary var. 6° 45' E.

North On E. boundary of Sec. 36, T10N. R1E.

14.50 a Beech 14 in. diam.

30.50 a Brook 100 lks. wide C.P.W.

40.00 Set the q. Sec. post, from which
a Beech 10 in. diam. bears S 30° W 19 lks. dist. of
a Do 10 " " " N 1° W 24 " "

58.50 a W. Oak 18 " "

80.00 Set a post Cor. to Sec. 25 & 36, from which
a Beech 12 in. diam. bears S 29° E 28 lks. dist. of
a Hickory 10 " " " S 75° W 4 " "
over level Beech land.

North On E. boundary of Sec. 25, T10N. R1E. 2^d Mer.

6.50 a Poplar 40 in. diam. in the line

40.00 Set the q. Sec. post, from which
a Beech 13 in. diam. bears N 44° W 5 lks. dist. of

10 N. R1 E. 2nd Mer. Indiana

- a Dogwood 7 mi. dist. bears S25 E. 22 lks. dist.
 57.12 a Beech 18 " "
 80.00 At a post Cor. to Sec. 24 & 25, 10 N. R1 E. from which
 a Gum 22 mi. dist. bears S37 E 8 lks. dist. &
 a Beech 14 " " " N11 E 19 " "
 Over rolling land, timber Oak Beech &c.
-

North On E. boundary of Sec. 24, 10 N. R1 E.

- 15.00 a Brook 8 lks. wide Cr. S. E.
 28.00 a Beech 14 mi. dist.
 40.00 At the qt. Sec. post, from which
 a Beech 14 mi. dist. bears S8 E 18 lks. dist. &
 a Walnut 12 " " " N33 E 37 " "
 60.00 a Brook 10 lks. wide Cr. S. E.
 62.05 a Beech 14 mi. dist.
 80.00 At a post Cor. to Sec. 13 & 24, 10 N. R1 E. from which
 a Beech 18 mi. dist. bears N42 W 18 lks. dist. &
 a Poplar 36 " " " S41 W 17 " "
 Over broken land, timber Oak & Beech
-

North On E. boundary of Sec. 13, 10 N. R1 E.

- 40.00 At the qt. Sec. post, from which
 a Gum 14 mi. dist. bears N1 E 28 lks. dist.
 61.50 a Brook 8 lks. wide Cr. S. E.
 80.00 At a post Cor. to Sec. 13 & 12, 10 N. R1 E. from which
 an Oak 13 mi. dist. bears N8 W 11 lks. dist. &
 a Do 7 " " " S54 W 6 " "
 Over bushy broken land timber Oak &c.
-

North On E. boundary of Sec. 12, 10 N. R1 E. 2nd Mer.

- 23.00 a Brook 5 lks. wide Cr. S. E.
 40.00 At the qt. Sec. post, from which
 a W. Oak 18 in. dist. bears N19 E 34 lks. dist. &

Stock P.R.E. 2^d Mer. Indiana

a Dogwood 6 mi. dist. bears S 82° W 6 lks. dist &
 80.00 Set a post Cor. to Sec. 1 & 12, T10 N. R1 E. from which
 a W. Oak 8 mi. dist. bears N 14° W 3 lks. dist &
 a Do 6 " " " S 46° W 12 " "
 Over broken brushy land, timber Oak &c.

North On E. boundary of Sec. 1, T10 N. R1 E.

25.50 a W. Oak 40 mi. dist.

40.00 Set the q. Sec. post. from which
 a W. Oak 24 mi. dist. bears S 35° W. 64 lks. dist.
 and no more timber convenient.

52.38 a W. Oak 40 mi. dist.

85.00 Set a post Cor. to Town 10 & 11 N. Ranges 1 & 2 E.
 from which a Beech 10 mi. dist. bears N 68° W 1 lks. dist &

a Sugar 10 " " " S 81° E 18 " "

Over broken land, timber Oak. June 24th 1819

North Boundary

var. 6° 30' E

West 1st mile ^{on Randm.} between Towns 10 & 11 N. R1 E. 2^d Mer.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post for Sec. 35 & 36, T11 N. R1 E.
 over broken land timber Oak &c.

West 1st mile on Randm. betw. Town 10 & 11 N. R1 E.

39.50 a Beech 50 lks. wide at S. E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post, for Sec. 34 & 35, T11 N. R1 E.
 Over Broken land timber Oak & Beech

West 3rd mile on Randm. betw. Town 10 & 11 N. R1 E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post for Sec. 33 & 34, T11 N. R1 E.
 Land timber &c. same as on the last mile

T10 N. R1 E. 2^d. Mer. Indiana

Nest 4th Mile On Rand. betwⁿ. Towns 10 & 11 N. R1 E.
40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Sec. post for Sec^s. 32 & 33, T11 N. R1 E.
Land timber &c same as on the last mile

Nest 5th Mile On Rand.^m betwⁿ. Towns 10 & 11 N. R1 E.
40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Sec. post for Sec^s. 31 & 32, T11 N. R1 E.
Over broken land timber Oak &c.

Nest 6th Mile On Rand. betwⁿ. Towns 10 & 11 N. R1 E.
37.50 Intersected the 2^d. Meridian 700 yds. N. of the
Corner to Towns 10 & 11 N. on said line

Variation 7° 30' E.

East On true line S. boundary of Sec. 31, T11 N. R1 E.

37.50 Set a post Cor. to Sec^s. 31 & 32, T11 N. R1 E. from which
a W. Oak 20 m. dist. bears S 40 E. 17 lks. dist. &
a do 12 " " " S 73 W 5 " "

East On true line S. bound^y. of Sec. 32, T11 N. R1 E.

40.00 Set the of. Sec. post on true line from which
a Maple 8 m. dist. bears N 11 W 20 lks. dist. &
a W. Oak 20 " " " S 87 E 26 " "

80.00 Set a post Cor. to Sec^s. 32 & 33, T11 N. R1 E. from which
a Beech 11 m. dist. bears N 25 W 8 lks. dist. &
a W. Oak 18 " " " S 4 E 10 " "

East on true line, S. bound^y. of Sec. 33, T11 N. R1 E.

40.00 Set of. Sec. post on true line, from which
a ——— 12 m. dist. bears N 60 E 17 lks. dist. &
a W. Oak 12 " " " S 12 W 11 " "

80.00 Set a post Cor. to Sec^s. 33 & 34, T11 N. R1 E. from which

T10N. R1E. 2^d Mer. Indiana

a Beech 20 m. dist. bearing S 59 E 36 lbs. dist. &
 a Sugar 9 " " " N 79 W 11 " "

East on true line S. boundary of Sec. 34, T10N. R1E.

40.00 Set the q. Sec. post, on true line, from which
 a Sugar 12 m. dist. bearing S 73 E 35 lbs. dist. &
 a Beech 10 " " " N 41 E 35 " "

80.00 Set a post Cor. to Sec. 34 & 35, T10N. R1E, from which
 a W. Oak 9 m. dist. bearing N 81 E 10 lbs. dist. &
 a Do 6 " " " N 61 W 6 " "

East on true line S. boundary of Sec. 35, T10N. R1E.

40.00 Set q. Sec. post on true line, from which
 a Sugar 10 m. dist. bearing N 42 E 18 lbs. dist. &
 a Do 10 " " " S 12 E 17 " "

80.00 Set a post Cor. to Sec. 35 & 36, T10N. R1E, from which
 a P. Oak 24 m. dist. bearing S 87 E 33 lbs. dist. &
 a W. Oak 10 " " " N 83 W 28 " "

East on true line S. boundary of Sec. 36, T10N. R1E

40.00 Set the q. Sec. post, from which
 a Poplar 12 m. dist. bearing S 64 E 11 lbs. dist. &
 a Beech 9 " " " N 36 W 9 " "

80.00 Intersected the Cor. of Town 10 & 11 N. Range
 16 E.

July 1st 1814

Surveyed by John McDonald, D. S.

West Boundary or 2^d Principal Meridian
 variation 6th 30' E.

North On E. boundary of Sec. 36, T10N. R1W

40.00 a Set the q. Sec. post, from which
 a Sycamore 30 m. dist. bearing South 90 lbs. dist. &
 a Hickory 7 " " " S 48 W 42 " "

Mo. R.R. Co. Mer. Indiana

41.00 a Brook 20 lbs. wide C. W.
 67.00 enter a Swamp
 80.00 At a post Cor. to Sec. 25 & 36, T10 N. R1 W. from which
 a Maple 8 in. dia. bears S44°W 10 lbs. dist. 6
 a Do 10 " " " N12°W 5 " "
 Land part broken off part Swamp D. Rate Soil
 May 20th 1819

North On E. boundary of Sec. 25, T10 N. R1 W.
 5.00 leave the Swamp
 39.00 a Creek 10 lbs. wide C. W.
 40.00 At the q. Sec. post from which
 a Sycamore 18 in. dia. bears N19°W 32 lbs. dist. 6
 80.00 At a post Cor. to Sec. 24 & 25, T10 N. R1 W. from which
 a Sugar 12 in. dia. bears S43°W 32 lbs. dist. 6
 a Buck 6 " " " N23°E 14 " "
 Land mostly level of part rather Swampy

North On E. boundary of Sec. 24, T10 N. R1 W.
 40.00 At the q. Sec. post, from which
 a Beech 8 in. dia. bears S56°E 16 lbs. dist. 6
 a Buckeye 12 " " " S63°W 2 " "
 45.00 a Brook 10 lbs. wide C. E.
 52.50 a Do 10 " " " S. E.
 60.00 a Do 10 " " " S. W.
 80.00 At a post Cor. to Sec. 13 & 24, T10 N. R1 W. from which
 a Buck 12 in. dia. bears S50°W 12 lbs. dist. 6
 a Do 12 " " " S63°E 6 " "
 Land part level of part broken timber generally
 Beech, Sugar, Ash, Poplar, Walnut &c

North On East boundary of Sec. 13, T10 N. R1 W.
 20.00 a Brook 5 lbs. wide C. S. E.

W. N. P. E. 2nd Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 14 in. dia. bears S 38 E 11/2 m. dist. of
a Do 9 " " " N 79 W 14 " "
80.00 Set a post Cor. to Sec. 12 & 13, T. 10 N. R. 1 W. from which
a Beech 12 in. dia. bears S 35 W 15 1/2 m. dist. of
a W. Ash 30 " " " N 83 E 9 " "
S. 1/2 of this mile rather broken ground 2nd rate
Soil timber Same, N. 1/2 rich land all middling
good farming land

- North On E. bound. of Sec. 12, T. 10 N. R. 1 W.
40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bears S 80 E 14 1/2 m. dist. of
a Do 24 " " " S 71 W 21 " "
45.00 a Brook 8 lks. wide C. P. S. W.
80.00 Set a post Cor. to Sec. 14 & 12, T. 10 N. R. 1 W. from which
a Beech 18 in. dia. bears N 19 E 17 1/2 m. dist.
a Sugar 14 " " " N 4 E 5 1/2 " "
Land rather broken, good soil. Beech, Sugar
ash, Poplar, Oak, middling good farming land.

- North On E. boundary of Sec. 1, T. 10 N. R. 1 W.
38.00 a Brook 6 lks. wide C. P. S. W.
40.00 Set q. Sec. post from which
a Hackberry 18 in. dia. bears N 54 E 34 1/2 m. dist. of
a Walnut 6 " " " S 15 E 40 " "
45.00 a Creek 30 lks. wide C. P. West
80.00 Set a post Cor. to Town 10 & 11 N. Range 1 E of
W. from which
a Beech 9 in. dia. bears S 25 W 10 1/2 m. dist. of
a Do 12 " " " N 3 E 31 " "
S. 1/2 very broken & hilly - N. 1/2 middling good farming
land, timber Same. Surveyed by Wm. Harris D.D.

S10 N. R1 E. 2nd. Mer. Indiana

Subdivision var. 5.55'E

North Between Secs. 35 & 36, S10 N. R1 E. 2nd. Mer.

10.05 a Brook 15 lks. wide C. & N.W.

15.00 a Angor 16 in. dia.

16.75 a Stream 15 lks. wide C. & W.

28.65 a Beech 14 in. dia.

40.00 at the q. Sec. post, from which
a Beech 14 in. dia. bears N 62 E 19 lks. dist. &
a do 6 " " " N 54 W 17 " "

47.22 a Poplar 24 " "

60.32 a Beech 20 " "

80.00 at a post Cor. to Secs. 25, 26, 35 & 36, from which
a Beech 15 in. dia. bears N 48 E 14 lks. dist. &
a B. Gum 12 " " " N 85 W 8 " "
Broken 2nd rate land, Beech, Poplar, Angor, ash
undergth, Spruce, Ironw^d. dogw^d. &c.

East On Random betwⁿ. Secs. 25 & 36, S10 N. R1 E.

13.75 a Brook 15 lks. wide C. & N.W.

40.00 at temp^y. q. Sec. post

44.10 a Stream 20 lks. wide C. & W. S.W.

80.42 intersected the E. boundary 33 lks. S. of Corner.
Land timber &c. same as on the last mile

West On true line between Secs. 25 & 36, S10 N. R1 E.

23.18 a Hickory 18 in. dia. on true line

40.21 at the q. Sec. post, from which
a Beech 22 in. dia. bears S 22 W 16 lks. dist. &
a do 10 " " " N 10 E 35 " "

58.64 a Beech 17 " "

80.42 to Section Corner. Aug. 24th. 1819.

North Between Secs. 25 & 26, S10 N. R1 E. 2nd. Mer.

110 N. R. 1 E. 2^d Mer. Indiana

- 5.00 enter a windfall
 25.00 leave the windfall
 26.50 a Beech 20 in. diam. in the line
 40.00 At the q. Sec. post, from which
 an Elm 4 in diam. bears N 25 W 20 lbs. dist. of
 a Hickory 5 " " " N 28 E 22 " "
 60.12 a Beech 24 " "
 80.00 Set a post cor. to Secs. 23, 24, 25, 26, from which
 a Chestnut Oak 11 in. diam. bears N 72 E 10 lbs. dist. of
 a Hickory 4 " " " N 48 W 19 " "
 Broken 3^d patch land, W. Oak, Beech, Hickory
 Chestnut Oak &c. and gr. Ironw. Dogw. Hickory &
 Hackberry &c. &c.

- East On Random between Secs. 24 & 25, 110 N. R. 1 E.
 37.50 a Stream 12 lbs. wide C. S. S. E.
 40.00 At temp. q. Sec. post
 80.50 Intersected the E. boundary 12 lbs. N. of post
 Sand timber &c. Same as on the last mile

- West On true line between Secs. 24 & 25, 110 N. R. 1 E.
 20.50 a Beech 14 in. diam. on true line
 40.25 At q. Sec. post at asj. dist. on true line from which
 a Sugar 12 in diam. bears N 31 W 33 lbs. dist. of
 a Beech 20 " " " S 57 W 52 " "
 59.80 a Hickory 14 " " on true line
 80.50 Sec. Corner

- North Between Secs. 23 & 24, 110 N. R. 1 E. 2^d Mer.
 20.77 a W. Oak 17 in. diam. in the line
 30.87 a Poplar 16 " " " "
 40.00 A Beech 24 in. diam. Cor. for q. Sec. from which
 a Beech 11 " " bears S 57 E 14 lbs. dist. of

West R1E 2^d Mer. Indiana

a Dogwood 4 m. dia. bears N13^W16^W 1/2 m. dist. of
 75.10 a Buck 18 " "
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24 from which
 a Dogwood 5 m. dia. bears N51^E9^W 1/2 m. dist. of
 a Hickory 3 " " " S32^W16^E " "
 Broken 3rd rate land, W. Oak, B. Oak, Beech, Hickory
 Chestnut Oak &c. including W. Hickory, Hackberry &c.

East On Random betwⁿ. Secs. 13 & 24, T10 N. R1E.
 34.10 a Stream 10^W m. wide Cr. S. S. W.
 40.00 Set a post of Sec. post
 80.88 Intersected the E. boundary 73^W m. S. of post.
 Land timber &c. same as on the last mile

West On true line between Secs. 13 & 24, T10 N. R1E.
 22.64 a Chestnut 16 m. dia. on true line
 40.44 Set of Sec. post on true line at adj. dist. from which
 a Sp. Oak 6 m. dia. bears N45^E18^W 1/2 m. dist. of
 a Dogwood 4 " " " S65^W25^E " "
 62.75 a Chestnut 19 " " on true
 80.88 to Sec. Cor.

North Between Secs. 13 & 14, T10 N. R1E 2^d Mer.
 22.08 a W. Oak 30 m. dia. in the line
 40.00 Set the of Sec. post, from which
 a W. Oak 24 m. dia. bears N44^W10^W 1/2 m. dist. of
 a Hickory 5 " " " S67^E24^E " "
 64.00 a Brook 11^W m. wide Cr. S. W.
 68.42 a Chestnut Oak 14 m. dia.
 72.48 a Brook 10^W m. wide Cr. S. W.
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which
 a W. Oak 26 m. dia. bears N61^W85^W 1/2 m. dist. of
 a Dogwood 3 " " " S32^E12^E " "

T10 N. R1 E. 2nd. Mer. Indiana

Broken 3rd. rate land, W. Sp. & Chst. Oak, Hick^y. undg.
B. Hick^y, Dogw^d, Sassafras, Hackberry trees &c.

Aug. 25th. 1819

East On/Random between Sec. 12 & 13, T10 N. R1 E

40.00 Let the g. Sec post temp^y.

62.23 a stream 12 lbs. wide C. S. E.

80.48 Intersected the E. boundary 120 lbs. S. of post
Broken 3rd. rate land W. B. & Chestnut Oak, Hickory
B. Gum &c. undgth. Hick^y. Sassafras, Hackberry, trees &c.

West On true line between Sec. 12 & 13, T10 N. R1 E.

23.80 a Beech 25 m. diam. on true line

40.24 Let g. Sec. post, at a s. dist. on true line, from which
a B. Gum 16 m. diam. bears S 31 W 20 lbs. dist of
a do 4 " " " S 34 E 15 " "

57.78 a W. Oak 12 " " on true line

80.48 to Sec. Corner.

North Between Sec. 11 & 12, T10 N. R1 E. 2nd. Mer.

17.50 a B. Gum 10 m. diam. in the line

40.00 Let the g. Sec. post, from which
a Sugar tree 6 m. diam. bears N 52 E 17 lbs. dist of
a do 5 " " " S 31 W 14 " "

60.54 a Chestnut Oak 18 m. diam. in the line

70.25 a Brook 10 lbs. wide C. S. N. W.

80.00 Let a post Cor. to Sec. 1, 2, 11, 12, from which
a Beech 4 m. diam. bears N 29 W 22 lbs. dist of
a do 25 " " " S 23 W 44 " "

first 60.00 broken 3rd. rate - 20.00 level 2nd. rate.
W. Oak, Hickory, Beech, ash, Sugar tree &c. undgth.
Hick^y. Hack^y. Birches, Spruce &c.

T10 N. R1 E. 2^d. Mer. Indiana

East On Random between Sec. 1 & 12, T10 N. R1 E.

24.50 a Brook 8 lks. wide C.P. N. S. W.

40.00 Set limpy. q. Sec. post

80.56 Intersected the E. boundary 78 lks. N. of post.
Broken 3^d. rate land, Ch^t. Sp. M. Oak, Hickory &c
undergrowth. Dogwood? Ironw^d. Huckleberry &c.

West On true line between Sec. 1 & 12, T10 N. R1 E.

18.23 a Hickory 14 in. diam. on true line

40.28 Set the q. Sec. post at av^g. dist. on true line, from which

a W. Oak 18 in. diam. bears S 7th W 18 lks. dist. &

a Hickory 10 " " " N 44 E 14 " "

60.78 a Sp. Oak 18 " " on true line

80.56 to Sec. Corner.

North Between Sec. 1 & 12, T10 N. R1 E. 2^d. Mer.

19.50 a W. Oak 25 in. diam.

40.00 Set the q. Sec. post, from which

a Sp. Oak 28 in. diam. bears N 60th W 18 lks. dist. &

a Sugar tree 18 " " " S 50 E 12 " "

64.04 a Sp. Oak 6 " "

84.44 Intersected the N. bound^y. 65 lks. N. of post and

Set a post Cor. to Sec. 1 & 12, from which

a W. Oak 14 in. diam. bears S 52th W 28 lks. dist. &

a Hickory 10 " " " S 23 E 21 " "

Broken 4th. rate land, B. Oak, Chusnut Oak, Hick-
ory &c. undergth. Sassafras, B. Hick^y, Huckleberry
Greenbrier, &c. Aug. 26. 1819

North Between Sec. 34 & 35, T10 N. R1 E.

16.75 a W. Oak 26 in. diam.

32.40 a Hickory 30 " "

37.48 a Stream 50 lks. wide C.P. N. S. W.

T10 N. R1 E. 2nd. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a Hickory 3 in. dia. bears N 39° W 4 lbs. dist. &
 a Buckeye 16 " " " S 33° E 15 " "
- 59.00 enter a windfall
- 72.40 leave windfall - a P. Gum stump 18 in. dia.
- 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a dogwood 4 in. dia. bears N 11° E. 13 lbs. dist. &
 a Sugar tree 10 " " " N 47° W 21 " " "
- 1st 1/2 mile level 2nd rate - last 1/2 mile broken 3rd rate
 land; Sugar tree, Hickory, Walnut, Buckeye, Beech
 Sp. Oak, W. Oak &c. undgth, Spice, Hazel, Ironwood,
 Dogwood, Pines &c.

- East On Random between Sec. 26 & 35, T10 N. R1 E.
- 20.00 enter a windfall
- 40.00 Set stump 4. q. Sec. post
- 74.00 leave the windfall
- 81.87 Intersected the N & S. line 44 lbs. at N of the post.
 Broken 4th rate land, Sp. & W. Oak, Beech, &c.
 undgth. briars, Grape vines &c.

- West On true line, between Sec. 26 & 35, T10 N. R1 E.
- 7.10 a Beech 14 in. dia. on the true line
- 40.93 Set q. Sec. post at av. dist. on true line, at which
 place raised a pile of stones in windfall
- 58.67 a Beech 17 in. dia. on true line
- 81.87 to Sec. Corner.

- North Between Sec. 26 & 27, T10 N. R1 E.
- 21.74 a Sugar tree 20 in. dia.
- 40.00 Set the q. Sec. post, from which
 a W. Oak 19 in. dia. bears N 52° W 28 lbs. dist. &
 a Do 14 " " " S 53° E 21 " "

T10 St. R1 E. 2^d. Mer. Indiana

- 52.10 a Stream 15 lks, wide C.S. S.W.
 62.22 a Beech 18 in. diam.
 80.00 Set a post Cor to Sec^s. 22, 23, 26 & 27, from which
 a W. Oak 5 in. diam. bears N 32 E 10 lks. dist. of
 a do 19 " " " N 57 W 8 " "
 Broken 3^d. rate land, W. B. & Ch. Oak, Hickory
 Sugar tree &c. undergth. B. Hickory, W. Oak, Ironwood
 Dogwood, Greenbrier &c.

- East On Random between Sec^s. 23 & 26, T10 St. R1 E.
 40.00 Set temp^y. of Sec. post
 58.12 a Stream 10 lks, wide C.P. W. S. W.
 81.24 Intersected E. boundary 38 lks. N. of the post.
 Broken 3^d. rate, land, W. B. & Ch. Oak, Hickory
 &c. undergth. Dogwood, Hickory, Sassafras, birch &
 Buckleberry &c.

- West On true line between Sec^s. 23 & 26, T10 St. R1 E.
 24.36 a W. Oak 14 in. diam. on true line
 40.62 Set of Sec. post, at av. dist. on true line, from which
 a Poplar 6 in. diam. bears N 51 E 8 lks. dist. of
 a Sassafras 4 " " " N 72 W 22 " "
 63.18 a Hickory 22 " " on true line
 81.24 to Sec. Corner Aug. 27th. 1819

- North Between Sec^s. 22 & 23, T10 St. R1 E. 2^d. Mer.
 21.25 a Beech 18 in. diam.
 40.00 Set the of Sec. post, from which
 a Dogwood 5 in. diam. bears N 45 E 6 lks. dist. of
 an Ironwood 4 " " " N 42 W 18 " "
 79.25 a Stream 15 lks, wide C.S. S. S. W.
 60.37 a Walnut 56 in. diam.
 64.32 the same Stream S. S. E.

T10 N. R1 E. 2nd. Mer. Indiana

- 67.40 a Stream 15 lks. wide C.P. S.S.W.
 80.00 an Elm 13 mi. dist. low W. Bank of Said Stream
 Cor. to Sec. 14, 15, 22 & 23, from which
 a Angartree 7 mi. dist. bears N 73 W 54 lks. dist. of
 an Elm 14 " " " S 39 W 6 " "
 Broken 2nd & 3rd rate land W. Oak, P. Oak, beech,
 Walnut, Sugar, Sycamore &c. mingth Spruce &c.
-

- East On Random between Sec. 14 & 23, T10 N. R1 E.
 00.20 W. Brook 10 lks. wide C.P. S.S.W.
 40.00 Let temp^y. of Sec. post
 80.95 Intersected the N & S line 1.18 lks. N. of the post
 Part level 2nd rate Part broken 3rd rate land, W. Oak
 P. Oak, P. Gum, Chestnut Oak, Beech, Ash, Angartree
 &c. mingth Dogwood, Hickory, Bassap, Spruce &c.
-

- West On true line between Sec. 14 & 23, T10 N. R1 E.
 16.90 a P. Gum 14 mi. dist. on true line
 40.47 Let of Sec. post at av^y. dist. on true line, from which
 a Beech 7 mi. dist. bears N 20 E. 17 lks. dist. of
 a do 14 " " " S 10 W 12 " "
 50.85 a Beech 18 " " on true line
 80.95 to Sec. Corner
-

- North Between Sec. 14 & 15, T10 N. R1 E. 2nd. Mer.
 1.50 a Stream 10 lks. wide C.P. S.S.E.
 24.75 a Hickory 16 mi. dist.
 40.00 Let the of Sec. post, from which
 a W. Oak 5 mi. dist. bears N 35 E 16 lks. dist. of
 a Sp. Oak 12 " " " S 50 W 32 " "
 64.57 a W. Oak 30 " "
 80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Poplar 8 mi. dist. bears N 45 E 14 lks. dist. of

T10 St. R1 E. 2nd Mer. Indiana

a Beech 30 in. diam. bears S6W 27 lks. dist. &
Broken 2nd & 3rd rate land, Beech, W. Oak, B.
Oak, Hickory, Angar tree Ash &c underth Dogwood?
shown? Hazel, Greenbrier &c. Aug. 28. 1819

East On Random between Sec. 11 & 14, T10 St. R1 E.

28.50 a Stream 8 lks. wide C. S. M.

40.00 let temp^y. of Sec. post

80.80 Intersected the N & S. line at the post
Broken 3rd rate land, W. Oak, B. Oak, Beech,
Hickory &c. underth Dogwood, B. Hickory, Shrub-
Oak, Ironwood, Buckleberry &c

West On true line between Sec. 11 & 14, T10 St. R1 E.

20.47 a W. Oak 18 in. diam. bears out true line

40.40 let of Sec. post at ar^y. dist. on true line, from which
a Dogwood 3 in. diam. bears S32W 14 lks. dist. &
a W. Oak 30 " " " S44W 28 " "

57.00 a Hickory 14 " " on true line

71.00 a W. Oak 19 " " on true line

80.80 to Section Corner.

North Between Sec. 10 & 11, T10 St. R1 E 2nd Mer.

7.00 a Brook 10 lks. wide C. S. M.

23.90 a B. Gum 12 in. diam. bears

40.00 let the of Sec. post, from which
a B. Oak 24 in. diam. bears N65E 8 lks. dist. &
a Dogwood 4 " " " S75W 12 " "

58.84 a Beech 30 " "

80.00 let a post Cor to Sec. 2, 3, 10 & 11, from which
a Angar tree 3 in diam. bears S57E 10 lks. dist. &
an Elm 4 " " " S40W 35 " "

Broken 3rd rate land, B. & W. Oak Hickory, Poplar &c

T10 N. R1 E. 2^d. Mer. Indiana

Poplar &c. undgth. Dogw? Ironw? hick^y. Spruce &c.

East On Random between Sec. 2 & 11, T10 N. R1 E.
 5.20 a Brook 10 lbs. wide C.P. N
 40.00 Set temp^y. of Sec. post
 70.84 a Brook 10 lbs. wide C.P. S.W.
 80.94 Intersected the N. & S. line 25 lbs. S. of the post.
 Sand timber &c. Same as on the last mile

West On true line between Sec. 2 & 11, T10 N. R1 E
 15.75 a Chestnut Oak 24 in. diam. on true line
 40.47 Set of Sec. post at cor. dist. on true line from which
 a Beech 14 in. diam. bears S 32 W 18 lbs. dist. of
 a do 10 " " " N 72 E 27 " "
 62.25 a Hickory 15 " " on true line
 80.94 to Sec. Corner.

North Between Sec. 2 & 3, T10 N. R1 E, 2^d. Mer.
 22.68 a W. Oak 30 in. diam.
 40.00 Set the of Sec. post, from which
 a Spr. Oak 30 in. diam. bears N 42 E 32 lbs. dist. of
 a Poplar 2 " " " S 45 W 20 " "
 45.20 a Brook 8 lbs. wide C.P. N.E.
 49.00 a Brook 10 " " " N.E.
 60.37 a Walnut 16 in. diam.
 74.50 a Stream 10 lbs. wide C.P. E. N. E.
 84.00 Intersected the N. boundary 10 lbs. N. of post. of
 Set a post Cor. to Sec. 2 & 3, from which
 a Beech 4 in. diam. bears S 58 E 24 lbs. dist. of
 a do 3 " " " S 30 W 34 " "
 Broken 3^d. rate land, W & N. Oak, Beech, Hickory, Spr.
 Oak, Poplar, Walnut, Elm, &c. undgth. Sassafras, hick^y.
 Birch, Spruce &c. Aug. 29. th 1819.

T10 N. R1 E. 2ⁿ. Mer. IndianaNorth Between Secs. 33 & 34, T10 N. R1 E. 2ⁿ. Mer.

19.85 a Beech 16 in. dia. in the line

40.00 At the q. Sec. post, from which
a Dogwood 4 in. dia. bears N10 W 7 lks. dist. &
a Hornwood 3 " " " S43 E 22 " "

45.00 enter a windfall

63.00 an Elm stump 30 in. dia.

67.00 leave the windfall

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
a Beech 6 in. dia. bears N50 E 14 lks. dist. &
a Hornbeam 4 " " " N79 W 12 " "First 60.00 Broken 3^d rate land 20.00 level 2^d rate
land, Beech, N & B. Oak, Elm, Sugar tree &c. undgth.
Sassafras, Spice, briars &c.

East On Random between Secs. 27 & 34, T10 N. R1 E.

7.50 a stream 65 lks. wide Co. N. N. W.

23.00 Same 65 " " " N. N. W.

40.00 At temp. q. Sec. post

46.00 the same stream N. N. W.

78.87 Intersected the N & S. line at the post.

Post level & post broken 2ⁿ. & 3^d. rate land, Beech
Sugar, Hickory, ash, Sycamore &c. undgth. Ironw^d. Dog-
wood, Spice, briars &c.

West On true line between Secs. 27 & 34, T10 N. R1 E.

17.59 a Hickory 18 in. dia. on true line

39.43 At q. Sec. post at an q. dist. on true line from which
a Buckeye 10 in. dia. bears S34 E 7 lks. dist. &
a Hornbeam 4 " " " N61 W 13 " "

57.75 a Hickory 17 " " on true line

78.87 to Sec. Corner.

T10 N. R1 E. 2^d. Mer. Indiana

North Between Secs. 27 & 28, T10 N. R1 E. 2^d. Mer.

- 3.70 a Stream 55 lks. wide C.S. W. N. W.
 22.44 a Maple 18 in. diam. in the line
 40.00 At the q. Sec. post, from which
 a P. Gum 20 in. diam. bears N 29 W 7 lks. dist. &
 a Beech 4 " " " N 64 E 5 " "
 63.00 a Stream 15 lks. wide C.S. W. S. W.
 66.05 a Sugar tree 21 in. diam. in the line
 80.00 At a post Cor. to Secs. 21, 22, 27 & 28, from which
 a Beech 4 in. diam. bears N 67 W 23 lks. dist. &
 a P. Oak 4 " " " S 53 E 8 " " Level
 3^d rate land, Beech, ash, Maple, Sugar tree W. P. Oak
 &c. undergth. Spruce, Hazel, Pines &c.

East On Random between Secs. 22 & 27, T10 N. R1 E.

- 30.15 a Stream 15 lks. wide C.S. S. W.
 40.00 At turnpt. q. Sec. post
 78.78 Intersected the N & S line 35 lks. N. of the post
 Part level of post broken 2^d & 3^d rate land, Beech, ash,
 Sugar, W. P. Oak, Hickory &c. undergth. Spruce & Logw?
 Hickory, Snow? Pines &c.

West On true line between Secs. 22 & 27, T10 N. R1 E.

- 20.33 a Sugar tree 14 in. diam. on true line
 39.39 At q. Sec. post at asf. dist. on true line, from which
 a Maple 6 in. diam. bears N 8 E 13 lks. dist. &
 a Hickory 16 " " " S 72 W 16 " "
 59.48 a Beech 22 " " on true line
 78.78 to Sec. Corner.

North Between Secs. 21 & 22, T10 N. R1 E. 2^d. Mer.

- 19.93 a Beech 19 in. diam. on the line
 40.00 At the q. Sec. post, from which

T10 N. R1 E. 2^d. Mer. Indiana

- a Beech 7 m. dist. bears N41 E 17 lks. dist of
 a Maple 14 " " " S68 W 16 " "
 58.74 a W. Oak 12 " "
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 8 m. dist. bears N50 E 10 lks. dist of
 a Sugar 12 " " " S43 W 11 " "
 Broken 3^d rate, W. B. Oak, Sp. Oak, Beech, Hickory &c
 undergth Iron^o, Dogw^o, Birch &c. Dec. 16th 1819

- East On Kandow between Sec. 15 & 22, T10 N. R1 E
 40.00 At turn of q. Sec. post
 78.80 Intersected the N & S line 27 lks. N. of the post
 Broken 3^d rate, land Beech, Sugar, W & B. Oak, Hickory
 undergth Spruce, Dogw^o, Iron^o, Birch &c.

- West On true line between Sec. 15 & 22, T10 N. R1 E.
 21.72 an Ash 22 m. dist. on true line
 39.40 Set q. Sec. post at a q. dist. on true line, from which
 a Sugar tree 8 m. dist. bears S48 E 21 lks. dist of
 a Do 7 " " " S14 W 27 " "
 56.00 a Sugar tree 19 " "
 78.80 Section Corner.

- North Between Sec. 15 & 16, T10 N. R1 E. 2^d. Mer.
 25.05 a Chestnut Oak 19 m. dist.
 40.00 At the q. Sec. post, from which
 a Hickory 12 m. dist. bears N70 E 25 lks. dist of
 a Do 14 " " " S74 W 19 " "
 61.35 a Chestnut Oak 16 m. dist.
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 22 m. dist. bears N60 W 18 lks. dist of
 a Maple 24 " " " S82 E 41 " "
 Broken 3^d & 4th rate land, Chest. Oak, Sp. Oak, W & B.

T10 N. R1 E. 2nd. Mer. IndianaOak, Beech, &c. underth Huckleberry, Dogw[?], Ironw[?] &c.

East On Random between Sec. 9, 10 & 15 T10 N. R1 E
 31.64 a Brook 8th wide c.p. S.S.E.
 40.00 Set temp^y. of Sec. post
 78.71 Intersected the N & S. line 20th N. of the post
 Broken 4th rate land, W. Oak, P. Oak, Hickory, Chestnut
 Oak & underth Huckleberry, Hick^y. Ironw[?] &c.

West On true line between Sec. 9, 10 & 15, T10 N. R1 E.
 13.10 a Beech 16 in. diam. on true line
 39.35 Set of Sec. post at av^y. dist. on true line from which
 a P. Gum — in diam. bears N 52° W 18th dist. of
 a W. Oak 5 " " " S 1 E 5 " "
 57.37 a P. Gum 18 " "
 78.71 to Sec. corner.

North Between Sec. 9 & 10, T10 N. R1 E. 2nd. Mer.
 21.05 a Chestnut Oak 18 in. diam.
 40.00 Set the of Sec. post, from which
 a Poplar 12 in. diam. bears N 61° W 16th dist. of
 a Dogwood 4 " " " N 64° E 18 " "
 62.54 a Poplar 28 " "
 80.00 Set a post Cor. to Sec. 3, 4, 9, 10, from which
 a Beech 14 in. diam. bears N 48° E 6th dist. of
 a Do 12 " " " S 60° W 34 " "
 Broken 3rd rate land, W. & P. Oak, Beech, Poplar,
 Hickory &c. underth Sassafras & Briar

East On Random betwⁿ. Sec. 3 & 10, T10 N. R1 E.
 40.00 Set temp^y. of Sec. post
 78.68 Intersected the N & S. line 12th Mer. S. of the post
 Broken 3rd rate land W. & P. Oak, Hickory, Ash

T10 N. R1 E. 2^d. Mer. Indiana

Chesnut Oak &c. undergth. Ironw^d. Dogw^d. Hickory
Huckleberry &c.

West On true line between Sec. 3 & 10, T10 N. R1 E
22.56 a B. Oak 16 in. dia. on the line
39.34 At the q. Sec. post at a q. dist. on true line from which
a Dogwood 3 in. dia. bears N56 W 11 lks. dist. of
a Beech 30 " " " S20 E 15 " "
58.58 an Ash 18 " " on true line
78.68 to Sec. cor.

North Between Sec. 3 & 4, T10 N. R1 E. 2^d. Mer.
24.85 a Hickory 14 in. dia. in the line
40.00 At the q. Sec. post, from which
a Sp. Oak 46 in. dia. bears N65 E 10 lks. dist. of
a Dogwood 6 " " " S36 W 21 " "
57.92 a Hickory 8 " "
84.63 Intersected the N boundary 170 lks. E. of the post
Set a post Cor. to Sec. 3 & 4, from which
a Beech 23 in. dia. bears S55 E 19 lks. dist. of
a Dogw^d. 6 " " " S20 W 25 " "
Broken 3^d rate land, W of B. Oak, undergth. Ironw^d. Dog-
wood, briars &c. Dec. 17th. 1819.

North Between Sec. 32 & 33, T10 N. R1 E.
19.58 a Hickory 24 in. dia.
23.00 enter a windfall
40.00 At the q. Sec. post, from which
a B. Elm ^{Stump} 20 in. dia. bears N70 W 37 lks. dist. of
a Beech 6 " " " N30 E 43 " "
53.50 leave the windfall
57.43 a Sugar 34 in. dia.
80.00 Set a post Cor. to Sec. 29, 28, 32 & 33

T10 N. R1 E. 2^d. Mer. Indiana

a Beech 16 in. dia. bears N 8 E 18 lbs. dist. of

a Poplar 13 " " " S 28 W 17 " "

Broken 2^d & 3^d rate land, Beech, Poplar, Angustifolia
W. Oak, Hickory &c. undag^d. Prunus, grape vines, Sassa-
parilla, Hickory &c.

East On Randm. betwⁿ Sec^s 28 & 33, T10 N. R1 E.

40.00 At turnp^y. of Sec. post

74.50 a Brook 12 lbs. wide C. of N. W.

80.14 Intersected the N & S. line 5 lbs. N. of the post.
post level 2^d rate of post Broken 3^d rate land, W & S.
Oak, Sp. Oak, Ash, Elm, &c. undag^d Sassa-
parilla, Hickory
vines, Prunus &c.

West On true line between Sec^s 28 & 33, T10 N. R1 E.

22.99 a Beech 18 in. dia. on true line

40.07 At of. Sec. post at av^g. dist. on true line, from which

a W. Oak 18 in. dia. bears N 71 W 21 lbs. dist. of

a Do 17 " " " S 19 E 19 " "

58.24 a Hickory 16 " " on true line

80.14 to Sec. Cor.

North Between Sec^s 28 & 29, T10 N. R1 E, 2^d. Mer.

20.94 a Sp. Oak 10 in. dia.

40.00 At the of. Sec. post, from which

a Beech 17 in. dia. bears S 53 W 28 lbs. dist. of

a Poplar 24 " " " N 17 E 29 " "

57.82 a Anger 14 " "

60.00 a Brook 8 lbs. wide C. of N. & W.

80.00 At a post Cor. to Sec^s 20, 21, 28 & 29, from which

a Beech 22 in. dia. bears N 37 W 22 lbs. dist. of

a Do 23 " " " S 88 W 18 " "

Broken 3^d rate land Beech, W & Sp. Oak, Hickory

T10 N. R1 E. 2^d. Mer. Indiana

Poplar, Sugar &c. undgth. Sassafras, Hickory Oak &
Birch.

East Out Random between 21 & 28, T10 N. R1 E.

- 29.50 a Stream 75 lbs. wide Course N. N. W.
40.00 At temp. of Sec. post
55.25 a Stream 20 lbs. wide S. W.
61.56 Same 20 " " C. S. N. N. W.
79.92 Intersected the N. & S. line 26 lbs. S. of the post
Part level & part broken 2^d & 3^d. rate land, W. Oak,
Beech, Sugar, Ash, Elm, Poplar &c. undgth. Ash, Spruce.

West Out true line between Sec. P. 21 & 28, T10 N. R1 E

- 22.57 a Beech 22 in. dia. in true line
39.96 At temp. Sec. post at adj. dist. on true line, from which
a Beech 20 in. dia. bear S 73° W 13 lbs. dist. &
a Sugar 12 " " " N 35° E 35 " "
52.42 a Beech 18 " " on true line
79.92 to Sec. Corner.

North Between Sec. P. 20 & 21, T10 N. R1 E. 2^d. Mer.

- 14.50 a Stream 75 lbs. wide C. S. N. W.
22.48 a Beech 22 in. dia.
40.00 At the of Sec. post, from which
a Hickory 8 in. dia. bear N 79° E 18 lbs. dist. &
a Do 4 " " " S 73° W 10 " "
59.53 a W. Oak 14 " "
70.00 a Brook 10 lbs. wide Course S. S. E.
80.00 Set a post Cor. to Sec. P. 16, 17, 20 & 21, from which
a Beech 6 in. dia. bear S 54° W 10 lbs. dist. &
a Hornbeam 5 " " " N 53° E 24 " "
Part level & part broken 2^d & 3^d. rate land, Beech, W. Oak,
Hickory, Elm, Ash &c. undgth. Irons? Log? birch &c.

T10 N. R1 E. 2nd Mer. Indiana

East On Random betwⁿ Sec. 16 & 21, T10 N. R1 E.

40.00 Set temp^y. of Sec. post

79.50 a Brook 7 hrs. wide E. S. S. E.

80.08 Intersected the N & S. line 22 hrs. S. of the post
Broken 3rd rate land, W. B. & Sp. Oak, Hickory &c. undg.
Dogw. Ironw. Birch &c.

West On true line between Sec. 16 & 21, T10 N. R1 E

21.24 a Chestnut Oak 20 in. dia. on true line

40.04 Set the of. Sec. post at av^g. dist. on true line, from which
a Beech 10 in. dia. bears N 24 E 10 hrs. dist. of
a B. Gum 17 " " " S 2 E 22 " "

66.43 a W. Oak 30 " " on true line

80.08 to Sec. Cor. Dec. 17th. 1819

North Between Sec. 16 & 17, T10 N. R1 E. 2nd Mer.

25.06 a W. Oak 30 in. dia.

40.00 Set the of. Sec. post, from which

a Maple 6 in. dia. bears N 60 E 10 hrs. dist. of

a Beech 19 " " " S 40 W 19 " "

61.27 a Sp. Oak 16 " "

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which

a W. Oak 14 in. dia. bears S 59 E 7 hrs. dist. of

a Ch^t. Oak 4 " " " N 43 W 27 " "

Broken 3rd rate land W. Oak, B. Oak, Sp. & Chestnut
Oak, Beech &c. undg. ^{the} Huckleberry, birch &c.

East On Random betwⁿ 9 & 16, T10 N. R10 E. 2nd Mer

40.00 Set temp^y. of. Sec. post

80.00 Intersected the N & S. line 26 hrs. S. of the post
Land timber &c. same as on the last mile

West On true line between Sec. 9 & 16, T10 N. R1 E.

T10 N. R1 E. 2^d. Mer. Indiana

- 22.72 a Hickory 18 in. dia. on true line
 40.00 Let q. Sec. post at 9. dist. on true from which
 a Beech 28 in. dia. bear N41 E 18 lks. dist. of
 a Elm 5 " " " N18 W 23 " "
 57.08 Chestnut Oak 10 in. dia. on true line
 80.00 to Sec. Cor.

North Between Sec. 8 & 9, T10 N. R1 E. 2^d. Mer.

- 20.48 a Chestnut Oak 16 in. dia.
 40.00 Let the q. Sec. post. from which
 a Chestnut Oak 12 in. dia. bear N17 E 18 lks. dist. of
 a Dogwood 5 " " " S68 W 17 " "
 44.80 a Brook 8 lks. wide C.P. W. N.W.
 57.78 a W. Oak 22 in. dia. bear
 80.00 Let a post Cor. to Sec. 4, 5, 8 & 9, from which
 a B. Gum 16 in. dia. bear N40 E 15 lks. dist. of
 a Hickory 16 " " " N63 W 24 " "
 Broken 3^d rate land, W. Oak, B. Oak, Chestnut Oak,
 Hickory &c. and g. Buckleberry, Sassafras, Ironw. birch &c.

East On Random betwⁿ. Sec. 4 & 9, T10 N. R1 E.

- 40.00 Let temp. q. Sec. post
 79.92 Intersected the N & S. line 4 lks. S. of the post
 Broken 3^d rate land, W. B. & Chestnut Oak, Hickory
 Beech &c. and g. Spice, Sassafras birch &c.

West On true line betwⁿ. Sec. 4 & 9, T10 N. R1 E.

- 19.75 a Beech 16 in. dia. on true line
 39.96 Let q. Sec. post at 9. dist. on true line, from which
 a Beech 8 in. dia. bear N54 E 21 lks. dist. of
 an Elm 5 " " " S58 E 15 " "
 56.04 a W. Oak 17 " " on true line
 79.92 to Sec. Cor.

St. N. P. 1 E. 2^d. Mer. Indiana

North Between Sec. 4 & 5, St. N. P. 1 E. 2^d. Mer.

20.73 chest. Oak 38 in. dia.

28.44 a Brook 8 hrs. wide course W. N. W.

40.00 at the q. Sec. post, from which

a Hickory 10 in. dia. bears N 76° W. 25 hrs. dist. &

a Beech 18 " " " S 24° E 31 " "

60.70 a B. Oak 34 " "

84.24 Intersected the N. boundary 206 E. of the post &

at a post Cor. to Sec. 4 & 5, from which

a Beech 5 in. dia. bears S 22° W 41 hrs. dist. &

a Dogw. 6 " " " S 67° E 28 " "

Broken 3^d rate land, W. & C. Oak, Beech, Hickory &c.
undergth. Ironw. Dogw. briars &c. Dec. 18th. 1819

North Between Sec. 31 & 32, St. N. P. 1 E. 2^d. Mer.

17.64 a Beech 18 in. dia.

25.00 a Brook 8 hrs. wide C. S. N. W.

28.00 entire windfall

40.00 at the q. Sec. post from which

a W. Oak 18 in. dia. bears N 42° W. 31 hrs. dist. &

a B. Gum 12 " " " S 11° E 17 " "

61.80 a B. Oak 10 " "

80.00 at a post Cor. to Sec. 29, 30, 31 & 32, from which

a Sp. Oak 4 in. dia. bears S 40° E 8 hrs. dist. &

a W. Oak 23 " " " N 73° W 45 " "

Broken 3^d rate land Sp. W. Oak, Beech, Hick. ash &c.
undergth. Sassafras, Oak, hick. Birch, vines &c.

East On Random betw. Sec. 29 & 32, St. N. P. 1 E.

40.00 at temp. q. Sec. post

80.10 Intersected the N. & S. line 35 hrs. S. of the post

Broken 3^d rate land, W. & Sp. Oak, Beech, hick. ash &c.
undergth. Sassafras, Hickory, Ironw. vines &c.

10 N. R1 E. 2^d. Mer. Indiana

West On true line between Sec. 29 & 32, 10 N. R1 E.
 21.48 a Hickory 20 m. dist. on true line,
 40.05 Set of Sec. post at cor. dist. on true line from which
 a Sp. Oak 10 m. dist. bears N 11 W 8 lks. dist. of
 a Hickory 14 " " " S 63 E 15 " "
 65.06 a W. Oak 22 " " on true line
 80.10 to Sec. Corner.

West Between Sec. 30 & 31, 10 N. R1 E. 2^d. Mer.
 19.54 a W. Oak 36 m. dist.
 35.40 enter a Pond or Glade
 39.50 Intersected the 2^d. Mer. 108 lks. N. of the post of
 Set a post Cor. to Sec. 30 & 31, from which
 a Maple 6 m. dist. bears N 55 E 10 lks. dist. of
 an Elm 5 " " " S 12 W 18 " "
 Post level, part broken 3^d. rate land, W. Oak, Ash, beech,
 undngth. ash, Hick. Sassafras, Spice &c.

North Between Sec. 29 & 30, 10 N. R1 E. 2^d. Mer.
 22.61 a Sugar tree 18 m. dist.
 40.00 Set the of Sec. post, from which
 a Beech 5 m. dist. bears N 23 E 17 lks. dist. of
 a B. Oak 17 " " " S 48 W 9 " "
 57.53 a Beech 28 " "
 67.73 a Stream 75 lks. wide C. & W. S. W.
 77.56 a Brook 8 " " " S. S. W.
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 13 m. dist. bears N 27 W 51 lks. dist. of
 a Hornbeam 12 " " " S 60 E 30 " "
 First 60.00 broken, Balance level 2^d & 3^d. rate land
 W. Oak, Beech, Elm, undngth. Dogwood, Ironwood, Spice
 Brier &c.

T10 N. R1 E. 2^d Mer. Indiana

East On Random between Sec. 20 & 29, T10 N. R1 E.

27.42 cut N. bank of stream 75 lbs. wide W.S.W.

40.00 At temp^y. of Sec. post.

53.40 a stream 75 lbs. wide E.S.W.

79.96 Intersected the N & S. line 23 lbs. S. of the post
 Part level of part broken 2^d & 3^d rate land Sugar, ash,
 Elm, Lycamore &c. underg^m. Spruce, ash &c. Dec. 21. 1899.

West On true line between Sec. 20 & 29, T10 N. R1 E.

24.60 an Elm 17 in. dia. on true line

39.98 At q. Sec. post on true line at av. q. dist. from which
 an Elm 23 in. dia. bears S 45 E 21 lbs. dist. of
 a Beech 3 " " " N 50 W 15 " "

59.62 a Beech 14 " " on true line

79.96 to Sec. Cor.

West Between Sec. 19 & 30, T10 N. R1 E. 2^d Mer.

22.44 a Beech 17 in. dia.

30.00 a Brook 10 lbs. wide South

39.65 Intersected the 2^d Mer. 137 lbs. N. of the post of
 At a post Cor. to Sec. 19 & 30 from which
 a Dogw^d. 6 in. dia. bears N 73 W 18 lbs. dist. of
 a Do 7 " " " S 77 E 7 " "
 Level with 2^d rate land, Beech, Ash, W. Oak, Elm,
 underg^m. Ash, Spruce &c.

North Between Sec. 19 & 20, T10 N. R1 E. 2^d Mer.

24.00 a P. Gum 18 in. dia.

40.00 At the q. Sec. post, from which
 an Irono^d. 5 in. dia. bears S 84 W 6 lbs. dist. of
 a Beech 6 " " " S 43 E 6 " "

61.94 a Beech 17 " "

80.00 At a post Cor. to Sec. 17, 18, 19 & 20, from which

T10 N. R1 E, 2^d Mer. Indiana

a Beech 26 m. dist. bearing 166 W 19 lbs. dist. of
 a Do 28 " " " N 34 E 28 " "
 Part level of front broken 2^d & 3^d rate land, Beech,
 Ash, W. Oak, P. Gum, Elm, Sugar tree &c. underg.
 Dogwood, Ironw. Spice, Beech, briars &c.

East On Randm. betwⁿ Secs. 17 & 20, T10 N. R1 E.

40.00 Set temp^y. g. Sec. post.

71.25 a Brook 10 lbs. wide C. S. S. W.

79.93 Intersected the N & S. line, 22 lbs. S. of the post.
 Broken 3^d rate land, Beech, Hick^y. W. P. & Sp.
 Oak &c. underg.^d. Dogw^d. Ironw^d. Sassafras, ash &c.

West On true line between Secs. 17 & 20, T10 N. R1 E.

18.81 a Hickory 17 m. dist. on true line

39.96 Set g. Sec. post at ar^y. dist. on true line from which
 a Dogw^d. 4 m. dist. bearing 125 E 5 lbs. dist. of
 a Beech 5 " " " N 2 W 26 " "

59.13 a Hickory 15 " " on true line

79.93 to Sec. Corner.

West Between Secs. 18 & 19, T10 N. R1 E, 2^d Mer.

22.34 a Beech 16 m. dist.

30.00 a Brook 6 lbs. wide C. S.

39.46 Intersected the 2^d Mer. 189 lbs. S. of the post &
 set a post Cor. to Secs. 18 & 19, from which
 a Beech 22 m. dist. bearing N 38 E 50 lbs. wide
 a Do 19 " " " S 1 E 11 " "
 Broken 3^d rate land, Beech, W. P. & Sp. Oak &c
 underg.^d. Ironwood, Dogw^d & Briars &c

North Between Secs. 17 & 18, T10 N. R1 E, 2^d Mer.

25.34 Sugar tree 12 m. dist. in the line

Host - R1E. 2nd Mer. Indiana

- 40.00 At the q. Sec. post, from which
a B. Oak 22 in. dia. bear 189 W 6 lbs. dia. of
a Dogwood 5 " " " N 21 E 7 " "
- 54.73 a Beech 18 " "
- 80.00 At a post Cor. to Sec. 7, 8, 17 & 18, from which
an Elm 14 in. dia. bear 115 E 34 lbs. dia. of
a Beech 34 " " " N 59 W 6 " "
Broken 2nd & 3rd rate land 1 Beech, Ash, Sugar tree
Hickory, B. & W. Oak &c. under 1st Spruce, Ash &c.
Dec. 22nd. 1819

East On Random betw. Sec. 8 & 17, Host. R1E.

- 40.00 At temp. q. Sec. post
- 79.84 Intersected the N & S. line 12 lbs. S. of the post
Broken 3rd rate land, W & B. Oak, Beech, Ash,
Sugar tree, Hickory, Sp. Oak &c. under 1st Dogw. & some?
Buir &c.

West On true line between Sec. 8 & 17, Host. R1E.

- 21.78 a Spr. Oak 17 in. dia. on true line
- 39.92 At q. Sec. post at anj. dist. on true line from which
a Dogwood 5 in. dia. bear 148 W 11 lbs. dia. of
a Hickory 10 " " " N 11 E 21 " "
- 62.11 a Poplar 20 " " on true line
- 79.84 to Sec. Corner.

West Between Sec. 7 & 18, Host. R1E. 2nd Mer

- 19.46 an Ash 32 in. dia.
- 38.78 Intersected the 2nd Mer. 181 lbs. N. of the post &
At a post Cor. to Sec. 7 & 18, from which
a Sugar tree 17 in. dia. bear 139 E 14 lbs. dia. of
a Poplar 6 " " " N 55 E 54 " "
Broken 5th rate land, Sugar tree, Ash, Poplar,

T10 N. R1E. 2^d. Mer. IndianaHickory, Beech &c. undgth. Spruce, ash &c.North Between Secs. 7 & 8, T10 N. R1E. 2^d. Mer.

18.94 a Beech 34 in. dia.

40.00 At the q^r. Sec. post, from whicha Beech 16 in. dia. bray N 45 E 21 lbs. dist. of
an Iron? 3 " " " S 43 W 9 " "

61.53 a Hickory 16 " "

80.00 At a post Cor. to Secs. 5, 6, 7 & 8, from which

a W. Oak 18 in. dia. bray N 50 W 14 lbs. dist. of

a Do 19 " " " S 59 E 11 " "

Broken 3^d. rate land, W. B. Oak, Sp. Oak, Beech,
Hickory, &c. undgth. Sassafras, Dogw? Birch &cEast On Ramd^m. between Secs. 5 & 8, T10 N. R1E.

31.54 a stream 10 lbs. wide E. S. N. N.

40.00 At temp^y. q^r. Sec. post.79.90 Intersected the N & S. line 6 lbs. S. of the post
Broken 3^d. rate land, W. B. Oak, Beech, Hickory
&c. undgth. Sassafras, Hickory, Birch &c. Dec 23, 1879

West On true line between Secs. 5 & 8, T10 N. R1E.

19.73 a W. Oak 19 in. dia. on the true line

39.95 At q^r. Sec. post on true line at a q^r. dist. from which

an Ash 6 in. dia. bray N 63 W 18 lbs. dist. of

a Beech 13 " " " S 15 E 28 " "

63.18 a Beech 16 " " on true line

79.90 to Sec. Cor.

West Between Secs. 6 & 7, T10 N. R1E 2^d. Mer.

17.78 a W. Oak 33 in. dia.

38.64 Intersected the 2^d. Mer. 156 lbs. S. of the post
At a post Cor. to Secs. 6 & 7, T10 N. R1E from which

T10 N. R1 E. 2^d. Mer. Indiana

a Beech 19 mi. dist. from, N41 E 11 1/2 hr. dist. of
 a Do 14 " " " N79 E 26 " "
 Broken 3^d rate land W. Oak, B. Oak, Beech, Hickory
 for, undergth Poplar, Sassafras, Buckeberry briars &c.

North Dittoen Sec. 5 of T. 10 N. R. 1 E. 2^d. Mer.

24.09 a W. Oak 21 mi. dist.

39.99 a Stream 15 hrs. wide C. S. N. W.

40.00 At the q. Sec. post, from which

a Sycamore 14 mi. dist. from, N74 W 42 hrs. dist. of

a Poplar 10 " " " N83 E 5 " "

58.97 a W. Oak 15 " "

84.08 Intersected the N. Boundary 260 hrs. E. of post
 Set a post Cor. to Sec. 5 of T. 10 N. R. 1 E. 2^d. Mer.

a Beech 10 mi. dist. from, N25 W 43 hrs. dist. of

a Do 12 " " " N23 E 32 " "

Broken 2^d & 3^d rate land, W. Oak, Beech,
 Hickory, &c. undergth Iron? Dogwood? briars &c.

Dec. 24th. 1819.

Surveyed by Thomas Brown, Dep. Sur.

I certify that the foregoing transcript of field notes of
 Township N. 10 N. Range N. 1 E. of 2^d. Mer. Indiana
 has been Comp^d. with the original notes in this office
 and found to be correct.

Surveyor General's Office

Cincinnati, Dec. 21st. 1840

E. S. Cairns
 Sur. Genl.